

INTRODUCTION TO DATA SCIENCE

JOHN P DICKERSON

Lecture #6 – 09/17/2020

Lecture #7 – 9/22/2020

CMSC320

Tuesdays & Thursdays

5:00pm – 6:15pm

(... or anytime on the Internet)



COMPUTER SCIENCE
UNIVERSITY OF MARYLAND

ANNOUNCEMENTS

Register on Piazza: piazza.com/umd/fall2020/cmssc320

Office hours are posted! (Finally!)

If you were on Piazza, you'd know ...

- **Project 1 is out now.** (Worth 10% of grade, as are each of the four projects.)
- Link is on course website @ cmssc320.github.io, also ELMS

We've also linked some reading for the week!

- Third **quiz** is due this upcoming Tuesday at noon; on ELMS now.

REVIEW OF LAST LECTURES

Shift thinking from:

Imperative code to manipulate data structures

to:

Sequences/pipelines of operations on data

Two key questions:

1. **Data Representation**, i.e., what is the natural way to think about given data
2. **Data Processing Operations**, which take one or more datasets as input and produce

REVIEW OF LAST CLASS

1. NumPy: Python Library for Manipulating nD Arrays

- A powerful n -dimensional array object.
- Homogeneous arrays of fixed size
- Operations like: indexing, slicing, map, applying filters
- Also: Linear Algebra, Vector operations, etc.

- Many other libraries build on top of NumPy

TODAY/NEXT CLASS

1. NumPy: Python Library for Manipulating nD Arrays

Multidimensional Arrays, and a variety of operations including Linear Algebra

2. Pandas: Python Library for Manipulating Tabular Data

Series, Tables (also called **DataFrames**)

Many operations to manipulate and combine tables/series

3. Relational Databases


Tables/Relations, and SQL (similar to Pandas operations)

4. Apache Spark

Sets of objects or key-value pairs

MapReduce and SQL-like operations

TODAY'S LECTURE



TODAY/NEXT CLASS


- **Tables**
 - Abstraction
 - Operations
- **Pandas**
- **Tidy Data**
- **SQL**

TABLES

Special Column, called “Index”, or
“ID”, or “Key”
Usually, no duplicates Allowed

Variables
(also called Attributes, or
Columns, or Labels)

Observations,
Rows, or
Tuples



| ID | age | wgt_kg | hgt_cm |
|----|------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 |
| 2 | 11.0 | 40.8 | 143.8 |
| 3 | 15.6 | 65.3 | 165.3 |
| 4 | 35.1 | 84.2 | 185.8 |

TABLES

| ID | age | wgt_kg | hgt_cm |
|----|------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 |
| 2 | 11.0 | 40.8 | 143.8 |
| 3 | 15.6 | 65.3 | 165.3 |
| 4 | 35.1 | 84.2 | 185.8 |

| ID | Address |
|----|-------------------------|
| 1 | College Park, MD, 20742 |
| 2 | Washington, DC, 20001 |
| 3 | Silver Spring, MD 20901 |

199.72.81.55 - - [01/Jul/1995:00:00:01 -0400] "GET /history/apollo/ HTTP/1.0" 200 6245

unicomp6.unicomp.net - - [01/Jul/1995:00:00:06 -0400] "GET /shuttle/countdown/ HTTP/1.0" 200 3985

199.120.110.21 - - [01/Jul/1995:00:00:09 -0400] "GET /shuttle/missions/sts-73/mission-sts-73.html HTTP/1.0" 200 4085

1. SELECT/SLICING

Select only some of the rows, or some of the columns, or a combination

| ID | age | wgt_kg | hgt_cm |
|----|------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 |
| 2 | 11.0 | 40.8 | 143.8 |
| 3 | 15.6 | 65.3 | 165.3 |
| 4 | 35.1 | 84.2 | 185.8 |

Only columns
ID and Age

| ID | age |
|----|------|
| 1 | 12.2 |
| 2 | 11.0 |
| 3 | 15.6 |
| 4 | 35.1 |

Only rows
with wgt > 41

| ID | age | wgt_kg | hgt_cm |
|----|------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 |
| 3 | 15.6 | 65.3 | 165.3 |
| 4 | 35.1 | 84.2 | 185.8 |

Both

| ID | age |
|----|------|
| 1 | 12.2 |
| 3 | 15.6 |
| 4 | 35.1 |

2. AGGREGATE/REDUCE

Combine values across a column into a single value

| ID | age | wgt_kg | hgt_cm |
|----|------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 |
| 2 | 11.0 | 40.8 | 143.8 |
| 3 | 15.6 | 65.3 | 165.3 |
| 4 | 35.1 | 84.2 | 185.8 |

SUM

73.9 232.6 640.0

MAX

35.1 84.2 185.8

SUM(wgt_kg² - hgt_cm)

14167.66

What about ID/Index column?

Usually not meaningful to aggregate across it
May need to explicitly add an ID column

3. MAP

Apply a function to every row, possibly creating more or fewer columns

| ID | Address |
|----|-------------------------|
| 1 | College Park, MD, 20742 |
| 2 | Washington, DC, 20001 |
| 3 | Silver Spring, MD 20901 |



| ID | City | State | Zipcode |
|----|---------------|-------|---------|
| 1 | College Park | MD | 20742 |
| 2 | Washington | DC | 20001 |
| 3 | Silver Spring | MD | 20901 |

Variations that allow one row to generate multiple rows in the output (sometimes called “flatmap”)

4. GROUP BY

Group tuples together by column/dimension

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

By 'A' →

A = foo

| ID | B | C |
|----|---|-----|
| 1 | 3 | 6.6 |
| 3 | 4 | 3.1 |
| 4 | 3 | 8.0 |
| 7 | 4 | 2.3 |
| 8 | 3 | 8.0 |

A = bar

| ID | B | C |
|----|---|-----|
| 2 | 2 | 4.7 |
| 5 | 1 | 1.2 |
| 6 | 2 | 2.5 |

4. GROUP BY

Group tuples together by column/dimension

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

By 'B' →

B = 1

| ID | A | C |
|----|-----|-----|
| 5 | bar | 1.2 |

B = 2

| ID | A | C |
|----|-----|-----|
| 2 | bar | 4.7 |
| 6 | bar | 2.5 |

B = 3

| ID | A | C |
|----|-----|-----|
| 1 | foo | 6.6 |
| 4 | foo | 8.0 |
| 8 | foo | 8.0 |

B = 4

| ID | A | C |
|----|-----|-----|
| 3 | foo | 3.1 |
| 7 | foo | 2.3 |

4. GROUP BY

Group tuples together by column/dimension

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

By 'A', 'B'



A = bar, B = 1

| ID | C |
|----|-----|
| 5 | 1.2 |

A = bar, B = 2

| ID | C |
|----|-----|
| 2 | 4.7 |
| 6 | 2.5 |

A = foo, B = 3

| ID | C |
|----|-----|
| 1 | 6.6 |
| 4 | 8.0 |
| 8 | 8.0 |

A = foo, B = 4

| ID | C |
|----|-----|
| 3 | 3.1 |
| 7 | 2.3 |

5. GROUP BY AGGREGATE

Compute one aggregate

Per group

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

Group by 'B'
Sum on C

B = 1

| ID | A | C |
|----|-----|-----|
| 5 | bar | 1.2 |

B = 2

| ID | A | C |
|----|-----|-----|
| 2 | bar | 4.7 |
| 6 | bar | 2.5 |

B = 3

| ID | A | C |
|----|-----|-----|
| 1 | foo | 6.6 |
| 4 | foo | 8.0 |
| 8 | foo | 8.0 |

B = 4

| ID | A | C |
|----|-----|-----|
| 3 | foo | 3.1 |
| 7 | foo | 2.3 |

B = 1

| Sum (C) |
|---------|
| 1.2 |

B = 2

| Sum (C) |
|---------|
| 7.2 |

B = 3

| Sum (C) |
|---------|
| 22.6 |

B = 4

| Sum (C) |
|---------|
| 5.4 |

5. GROUP BY AGGREGATE

Final result usually seen

As a table

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

Group by 'B'
Sum on C

B = 1

| Sum (C) |
|---------|
| 1.2 |

B = 2

| Sum (C) |
|---------|
| 7.2 |

B = 3

| Sum (C) |
|---------|
| 22.6 |

B = 4

| Sum (C) |
|---------|
| 5.4 |



| B | SUM(C) |
|---|--------|
| 1 | 1.2 |
| 2 | 7.2 |
| 3 | 22.6 |
| 4 | 5.4 |

6. UNION/INTERSECTION/DIFFERENCE

Set operations – only if the two tables have identical attributes/columns

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |

U

| ID | A | B | C |
|----|-----|---|-----|
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |




| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | bar | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | foo | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

Similarly Intersection and Set Difference manipulate tables as Sets

IDs may be treated in different ways, resulting in somewhat different behaviors

7. MERGE OR JOIN

Combine rows/tuples across two tables if they have the same key



What about IDs not present in both tables?

Often need to keep them around

Can “pad” with NaN

7. MERGE OR JOIN

Combine rows/tuples across two tables if they have the same key

Outer joins can be used to "pad" IDs that don't appear in both tables

Three variants: LEFT, RIGHT, FULL

SQL Terminology -- Pandas has these operations as well

| ID | A | B |
|----|-----|---|
| 1 | foo | 3 |
| 2 | bar | 2 |
| 3 | foo | 4 |
| 4 | foo | 3 |



| ID | C |
|----|-----|
| 1 | 1.2 |
| 2 | 2.5 |
| 3 | 2.3 |
| 5 | 8.0 |



| ID | A | B | C |
|----|-----|-----|-----|
| 1 | foo | 3 | 1.2 |
| 2 | bar | 2 | 2.5 |
| 3 | foo | 4 | 2.3 |
| 4 | foo | 3 | NaN |
| 5 | NaN | NaN | 8.0 |

SUMMARY

- **Tables: A simple, common abstraction**
 - Subsumes a set of “strings” – a common input
- **Operations**
 - Select, Map, Aggregate, Reduce, Join/Merge, Union/Concat, Group By
- **In a given system/language, the operations may be named differently**
 - E.g., SQL uses “join”, whereas Pandas uses “merge”
- **Subtle variations in the definitions, especially for more complex operations**

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | baz | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | baz | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

Group By 'A'



**HOW MANY
TUPLES IN THE
ANSWER?**

- A. 1
- B. 3
- C. 5
- D. 8

| ID | A | B | C |
|----|-----|---|-----|
| 1 | foo | 3 | 6.6 |
| 2 | baz | 2 | 4.7 |
| 3 | foo | 4 | 3.1 |
| 4 | baz | 3 | 8.0 |
| 5 | bar | 1 | 1.2 |
| 6 | bar | 2 | 2.5 |
| 7 | foo | 4 | 2.3 |
| 8 | foo | 3 | 8.0 |

Group By 'A',
'B' →

**HOW MANY
GROUPS IN THE
ANSWER?**

- A. 1
- B. 3
- C. 4
- D. 6

| ID | A | B |
|----|-----|---|
| 1 | foo | 3 |
| 2 | bar | 2 |
| 4 | foo | 4 |
| 5 | foo | 3 |



| ID | C |
|----|-----|
| 2 | 1.2 |
| 4 | 2.5 |
| 6 | 2.3 |
| 7 | 8.0 |

**HOW MANY
TUPLES IN THE
ANSWER?**

- A. 1
- B. 2
- C. 4
- D. 6

| ID | A | B |
|----|-----|---|
| 1 | foo | 3 |
| 2 | bar | 2 |
| 4 | foo | 4 |
| 5 | foo | 3 |



| ID | C |
|----|-----|
| 2 | 1.2 |
| 4 | 2.5 |
| 6 | 2.3 |
| 7 | 8.0 |

FULL OUTER JOIN

All IDs will be present in the answer
With NaNs

**HOW MANY
TUPLES IN THE
ANSWER?**

- A. 1
- B. 4
- C. 6
- D. 8

TODAY/NEXT CLASS

- **Tables**
 - Abstraction
 - Operations
- **Pandas**
- **Tidy Data**
- **SQL and Relational Databases**

PANDAS: HISTORY

- **Written by: Wes McKinney**
 - Started in 2008 to get a high-performance, flexible tool to perform quantitative analysis on financial data
- **Highly optimized for performance, with critical code paths written in Cython or C**
- **Key constructs:**
 - Series (like a NumPy Array)
 - DataFrame (like a Table or Relation, or R data.frame)
- **Foundation for Data Wrangling and Analysis in Python**

PANDAS: SERIES

index **values**

| | | |
|----------|---|------------|
| A | → | 5 |
| B | → | 6 |
| C | → | 12 |
| D | → | -5 |
| E | → | 6.7 |

- Subclass of `numpy.ndarray`
- Data: any type
- Index labels need not be ordered
- Duplicates possible but result in reduced functionality

PANDAS: DATAFRAME

| | columns | foo | bar | baz | qux |
|-------|---------|-----|-----|-----|-------|
| index | | | | | |
| A | → | 0 | x | 2.7 | True |
| B | → | 4 | y | 6 | True |
| C | → | 8 | z | 10 | False |
| D | → | -12 | w | NA | False |
| E | → | 16 | a | 18 | False |

- Each column can have a different type
- Row and Column index
- Mutable size: insert and delete columns

- **Note the use of word “index” for what we called “key”**
 - Relational databases use “index” to mean something else

- **Non-unique index values allowed**
 - May raise an exception for some operations

HIERARCHICAL INDEXES

Sometimes more intuitive organization of the data

Makes it easier to understand and analyze higher-dimensional data

e.g., instead of 3-D array, may only need a 2-D array

| day | | Fri | Sat | Sun | Thur |
|--------|--------|-------|-------|-------|-------|
| sex | smoker | | | | |
| Female | No | 3.125 | 2.725 | 3.329 | 2.460 |
| | Yes | 2.683 | 2.869 | 3.500 | 2.990 |
| Male | No | 2.500 | 3.257 | 3.115 | 2.942 |
| | Yes | 2.741 | 2.879 | 3.521 | 3.058 |

```
first second
bar one 0.469112
two -0.282863
baz one -1.509059
two -1.135632
foo one 1.212112
two -0.173215
gux one 0.119209
two -1.044236
dtype: float64
```

ESSENTIAL FUNCTIONALITY

Reindexing to change the index associated with a DataFrame

- Common usage to interpolate, fill in missing values

```
In [84]: obj3 = Series(['blue', 'purple', 'yellow'], index=[0, 2, 4])
```

```
In [85]: obj3.reindex(range(6), method='ffill')
```

```
Out[85]:
```

```
0    blue
1    blue
2  purple
3  purple
4  yellow
5  yellow
```

ESSENTIAL FUNCTIONALITY

“drop” to delete entire rows or columns

Indexing, Selection, Filtering: very similar to NumPy

Arithmetic Operations

- Result index union of the two input indexes
- Options to do “fill” while doing these operations

In [128]: s1

Out[128]:

```
a    7.3
c   -2.5
d    3.4
e    1.5
```

In [129]: s2

Out[129]:

```
a   -2.1
c    3.6
e   -1.5
f    4.0
g    3.1
```

In [130]: s1 + s2

Out[130]:

```
a    5.2
c    1.1
d   NaN
e    0.0
f   NaN
g   NaN
```


FUNCTION APPLICATION AND MAPPING

```
In [158]: frame = DataFrame(np.random.randn(4, 3), columns=list('bde'),
.....:                      index=['Utah', 'Ohio', 'Texas', 'Oregon'])
```

```
In [159]: frame
Out[159]:
```

| | b | d | e |
|--------|-----------|----------|-----------|
| Utah | -0.204708 | 0.478943 | -0.519439 |
| Ohio | -0.555730 | 1.965781 | 1.393406 |
| Texas | 0.092908 | 0.281746 | 0.769023 |
| Oregon | 1.246435 | 1.007189 | -1.296221 |

```
In [160]: np.abs(frame)
Out[160]:
```

| | b | d | e |
|--------|----------|----------|----------|
| Utah | 0.204708 | 0.478943 | 0.519439 |
| Ohio | 0.555730 | 1.965781 | 1.393406 |
| Texas | 0.092908 | 0.281746 | 0.769023 |
| Oregon | 1.246435 | 1.007189 | 1.296221 |

```
In [161]: f = lambda x: x.max() - x.min()
```

```
In [162]: frame.apply(f)
Out[162]:
```

| | |
|---|----------|
| b | 1.802165 |
| d | 1.684034 |
| e | 2.689627 |

```
In [163]: frame.apply(f, axis=1)
Out[163]:
```

| | |
|--------|----------|
| Utah | 0.998382 |
| Ohio | 2.521511 |
| Texas | 0.676115 |
| Oregon | 2.542656 |

SORTING AND RANKING

```
In [169]: obj = Series(range(4), index=['d', 'a', 'b', 'c'])
```

```
In [170]: obj.sort_index()
```

```
Out[170]:
```

```
a    1
b    2
c    3
d    0
```

```
In [187]: frame = DataFrame({'b': [4.3, 7, -3, 2], 'a': [0, 1, 0, 1],
.....:                       'c': [-2, 5, 8, -2.5]})
```

```
In [188]: frame
```

```
Out[188]:
```

```
   a    b    c
0  0  4.3 -2.0
1  1  7.0  5.0
2  0 -3.0  8.0
3  1  2.0 -2.5
```

```
In [189]: frame.rank(axis=1)
```

```
Out[189]:
```

```
   a  b  c
0  2  3  1
1  1  3  2
2  2  1  3
3  2  3  1
```

DESCRIPTIVE AND SUMMARY STATISTICS

Table 5-10. Descriptive and summary statistics

| Method | Description |
|----------------|---------------------------------------------------------------------------------------------|
| count | Number of non-NA values |
| describe | Compute set of summary statistics for Series or each DataFrame column |
| min, max | Compute minimum and maximum values |
| argmin, argmax | Compute index locations (integers) at which minimum or maximum value obtained, respectively |
| idxmin, idxmax | Compute index values at which minimum or maximum value obtained, respectively |
| quantile | Compute sample quantile ranging from 0 to 1 |
| sum | Sum of values |
| mean | Mean of values |
| median | Arithmetic median (50% quantile) of values |
| mad | Mean absolute deviation from mean value |
| var | Sample variance of values |
| std | Sample standard deviation of values |
| skew | Sample skewness (3rd moment) of values |
| kurt | Sample kurtosis (4th moment) of values |
| cumsum | Cumulative sum of values |
| cummin, cummax | Cumulative minimum or maximum of values, respectively |
| cumprod | Cumulative product of values |
| diff | Compute 1st arithmetic difference (useful for time series) |
| pct_change | Compute percent changes |

CREATING DATAFRAMES

Directly from Dict or Series

From a Comma-Separated File – CSV file

- `pandas.read_csv()`
- Can infer headers/column names if present, otherwise may want to reindex

From an Excel File

- `pandas.read_excel()`

From a Database using SQL (see the reading for an example)

From Clipboard, URL, Google Analytics, ...

...

MORE...

Unique values, Value counts

Correlation and Covariance

Functions for handling missing data – in a few classes

- `dropna()`, `fillna()`

Broadcasting

Pivoting

We will see some of these as we discuss data wrangling, cleaning, etc.

TODAY/NEXT CLASS

- **Tables**
 - Abstraction
 - Operations
- **Pandas**
- **Tidy Data**
- **SQL and Relational Databases**

TIDY DATA

Variables

| Labels | age | wgt_kg | hgt_cm |
|--------------|------|--------|--------|
| Observations | 12.2 | 42.3 | 145.1 |
| | 11.0 | 40.8 | 143.8 |
| | 15.6 | 65.3 | 165.3 |
| | 35.1 | 84.2 | 185.8 |

But also:

- Names of files/DataFrames = description of **one** dataset
- Enforce one data type per dataset (ish)

EXAMPLE

Identifier Variable: measure or attribute:

- age, weight, height, sex

Value: measurement of attribute:

- 12.2, 42.3kg, 145.1cm, M/F

Observation: all measurements for an object

- A specific person is [12.2, 42.3, 145.1, F]

TIDYING DATA I

| Name | Treatment A | Treatment B |
|--------------|-------------|-------------|
| John Smith | - | 2 |
| Jane Doe | 16 | 11 |
| Mary Johnson | 3 | 1 |

??????????????

| Name | Treatment A | Treatment B | Treatment C | Treatment D |
|--------------|-------------|-------------|-------------|-------------|
| John Smith | - | 2 | - | - |
| Jane Doe | 16 | 11 | 4 | 1 |
| Mary Johnson | 3 | 1 | - | 2 |

??????????????

TIDYING DATA II

In a few lectures ...

| Name | Treatment | Result |
|--------------|-----------|--------|
| John Smith | A | - |
| John Smith | B | 2 |
| John Smith | C | - |
| John Smith | D | - |
| Jane Doe | A | 16 |
| Jane Doe | B | 11 |
| Jane Doe | C | 4 |
| Jane Doe | D | 1 |
| Mary Johnson | A | 3 |
| Mary Johnson | B | 1 |
| Mary Johnson | C | - |
| Mary Johnson | D | 2 |

MELTING DATA I

| religion | <\$10k | \$10-20k | \$20-30k | \$30-40k | \$40-50k | \$50-75k |
|-------------------------|--------|----------|----------|----------|----------|----------|
| Agnostic | 27 | 34 | 60 | 81 | 76 | 137 |
| Atheist | 12 | 27 | 37 | 52 | 35 | 70 |
| Buddhist | 27 | 21 | 30 | 34 | 33 | 58 |
| Catholic | 418 | 617 | 732 | 670 | 638 | 1116 |
| Dont know/refused | 15 | 14 | 15 | 11 | 10 | 35 |
| Evangelical Prot | 575 | 869 | 1064 | 982 | 881 | 1486 |
| Hindu | 1 | 9 | 7 | 9 | 11 | 34 |
| Historically Black Prot | 228 | 244 | 236 | 238 | 197 | 223 |
| Jehovahs Witness | 20 | 27 | 24 | 24 | 21 | 30 |
| Jewish | 19 | 19 | 25 | 25 | 30 | 95 |

??????????????

MELTING DATA II

```
f_df = pd.melt(df,  
              ["religion"],  
              var_name="income",  
              value_name="freq")  
f_df = f_df.sort_values(by=["religion"])  
f_df.head(10)
```

| religion | income | freq |
|----------|----------|------|
| Agnostic | <\$10k | 27 |
| Agnostic | \$30-40k | 81 |
| Agnostic | \$40-50k | 76 |
| Agnostic | \$50-75k | 137 |
| Agnostic | \$10-20k | 34 |
| Agnostic | \$20-30k | 60 |
| Atheist | \$40-50k | 35 |
| Atheist | \$20-30k | 37 |
| Atheist | \$10-20k | 27 |
| Atheist | \$30-40k | 52 |

MORE COMPLICATED EXAMPLE

Billboard Top 100 data for songs, covering their position on the Top 100 for 75 weeks, with two “messy” bits:



- Column headers for each of the 75 weeks
- If a song didn't last 75 weeks, those columns have are null

| year | artist.in verted | track | time | genre | date.ente red | date.pea ked | x1st.wee k | x2nd.we ek | ... |
|------|------------------------|-----------------------------|------|-------|------------------|-----------------|---------------|---------------|-----|
| 2000 | Destiny's Child | Independent Women Part I | 3:38 | Rock | 2000-09- 23 | 2000-11- 18 | 78 | 63.0 | ... |
| 2000 | Santana | Maria, Maria | 4:18 | Rock | 2000-02- 12 | 2000-04- 08 | 15 | 8.0 | ... |
| 2000 | Savage Garden | I Knew I Loved You | 4:07 | Rock | 1999-10- 23 | 2000-01- 29 | 71 | 48.0 | ... |
| 2000 | Madonn a | Music | 3:45 | Rock | 2000-08- 12 | 2000-09- 16 | 41 | 23.0 | ... |
| 2000 | Aguilera, Christina | Come On Over Baby | 3:38 | Rock | 2000-08- 05 | 2000-10- 14 | 57 | 47.0 | ... |
| 2000 | Janet | Doesn't Really Matter | 4:17 | Rock | 2000-06- 17 | 2000-08- 26 | 59 | 52.0 | ... |

Messy columns!

MORE COMPLICATED EXAMPLE

```
# Keep identifier variables
id_vars = ["year",
           "artist.inverted",
           "track",
           "time",
           "genre",
           "date.entered",
           "date.peaked"]

# Melt the rest into week and rank columns
df = pd.melt(frame=df,
             id_vars=id_vars,
             var_name="week",
             value_name="rank")
```

Creates one row per week, per record, with its rank

MORE COMPLICATED EXAMPLE

```
# Formatting
df["week"] = df['week'].str.extract('(\d+)',
                                     expand=False).astype(int)
df["rank"] = df["rank"].astype(int)
```

```
[..., "x2nd.week", 63.0] → [..., 2, 63]
```

```
# Cleaning out unnecessary rows
df = df.dropna()

# Create "date" columns
df['date'] = pd.to_datetime(
    df['date.entered'] +
    pd.to_timedelta(df['week'], unit='w') -
    pd.DateOffset(weeks=1)
```

MORE COMPLICATED EXAMPLE

```
# Ignore now-redundant, messy columns
df = df[["year",
        "artist.inverted",
        "track",
        "time",
        "genre",
        "week",
        "rank",
        "date"]]

df = df.sort_values(ascending=True,
                   by=["year", "artist.inverted", "track", "week", "rank"])

# Keep tidy dataset for future usage
billboard = df

df.head(10)
```


MORE COMPLICATED EXAMPLE

| year | artist.in verted | track | time | genre | week | rank | date |
|------|---------------------|---------------------------------------------------|------|-------|------|------|------------|
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 1 | 87 | 2000-02-26 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 2 | 82 | 2000-03-04 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 3 | 72 | 2000-03-11 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 4 | 77 | 2000-03-18 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 5 | 87 | 2000-03-25 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 6 | 94 | 2000-04-01 |
| 2000 | 2 Pac | Baby Don't Cry (Keep Ya Head Up II) | 4:22 | Rap | 7 | 99 | 2000-04-08 |
| 2000 | 2Ge+her | The Hardest Part Of Breaking Up (Is Getting Ba... | 3:15 | R&B | 1 | 91 | 2000-09-02 |
| 2000 | 2Ge+her | The Hardest Part Of Breaking Up (Is Getting Ba... | 3:15 | R&B | 2 | 87 | 2000-09-09 |
| 2000 | 2Ge+her | The Hardest Part Of Breaking Up (Is Getting Ba... | 3:15 | R&B | 3 | 92 | 2000-09-16 |

??????????????

MORE TO DO?

Column headers are values, not variable names?

- Good to go!

Multiple variables are stored in one column?

- Maybe (depends on if genre text in raw data was multiple)

Variables are stored in both rows and columns?

- Good to go!

Multiple types of observational units in the same table?

- Good to go! One row per song's week on the Top 100.

A single observational unit is stored in multiple tables?

- Don't do this!

Repetition of data?

- Lots! Artist and song title's text names. Which leads us to ...

TODAY/NEXT CLASS

- **Tables**
 - Abstraction
 - Operations
- **Pandas**
- **Tidy Data**
- **SQL and Relational Databases**

TODAY'S LECTURE

Relational data:

- What is a relation, and how do they interact?

Querying databases:

- SQL
- SQLite
- How does this relate to pandas?

Joins



RELATION

Simplest relation: a table aka tabular data full of **unique** tuples

Variables
(called attributes)

| Labels | ID | age | wgt_kg | hgt_cm |
|------------------------------|----|------|--------|--------|
| Observations (called tuples) | 1 | 12.2 | 42.3 | 145.1 |
| | 2 | 11.0 | 40.8 | 143.8 |
| | 3 | 15.6 | 65.3 | 165.3 |
| | 4 | 35.1 | 84.2 | 185.8 |

PRIMARY KEYS

| ID | age | wgt_kg | hgt_cm | nat_id |
|----|------|--------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 | 1 |
| 2 | 11.0 | 40.8 | 143.8 | 1 |
| 3 | 15.6 | 65.3 | 165.3 | 2 |
| 4 | 35.1 | 84.2 | 185.8 | 1 |
| 5 | 18.1 | 62.2 | 176.2 | 3 |
| 6 | 19.6 | 82.1 | 180.1 | 1 |

| ID | Nationality |
|----|-------------|
| 1 | USA |
| 2 | Canada |
| 3 | Mexico |

The primary key is a unique identifier for every tuple in a relation

- Each tuple has exactly one primary key

AREN'T THESE CALLED “INDEXES”?

Yes, in Pandas; but not in the database world

For most databases, an “index” is a data structure used to speed up retrieval of specific tuples

For example, to find all tuples with `nat_id = 2`:

- We can either scan the table – $O(N)$
- Or use an “index” (e.g., binary tree) – $O(\log N)$

FOREIGN KEYS

| ID | age | wgt_kg | hgt_cm | nat_id |
|----|------|--------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 | 1 |
| 2 | 11.0 | 40.8 | 143.8 | 1 |
| 3 | 15.6 | 65.3 | 165.3 | 2 |
| 4 | 35.1 | 84.2 | 185.8 | 1 |
| 5 | 18.1 | 62.2 | 176.2 | 3 |
| 6 | 19.6 | 82.1 | 180.1 | 1 |

| ID | Nationality |
|----|-------------|
| 1 | USA |
| 2 | Canada |
| 3 | Mexico |

Foreign keys are attributes (columns) that point to a different table's primary key

- **A table can have multiple foreign keys**

RELATION SCHEMA

A list of all the attribute names, and their *domains*


```
create table department
(dept_name varchar(20),
 building varchar(15),
 budget numeric(12,2) check (budget > 0),
 primary key (dept_name)
);
```

*SQL Statements
To create Tables*



```
create table instructor (
  ID      char(5),
  name    varchar(20) not null,
  dept_name varchar(20),
  salary  numeric(8,2),
  primary key (ID),
  foreign key (dept_name) references department
);
```

SCHEMA DIAGRAMS




SEARCHING FOR ELEMENTS

Find all people with nationality Canada (nat_id = 2):

????????????????

| ID | age | wgt_kg | hgt_cm | nat_id |
|----|------|--------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 | 1 |
| 2 | 11.0 | 40.8 | 143.8 | 1 |
| 3 | 15.6 | 65.3 | 165.3 | 2 |
| 4 | 35.1 | 84.2 | 185.8 | 1 |
| 5 | 18.1 | 62.2 | 176.2 | 3 |
| 6 | 19.6 | 82.1 | 180.1 | 1 |

$O(n)$ 

INDEXES

Like a hidden sorted map of references to a specific attribute (column) in a table; allows $O(\log n)$ lookup instead of $O(n)$

| loc | ID | age | wgt_kg | hgt_cm | nat_id |
|-----|----|------|--------|--------|--------|
| 0 | 1 | 12.2 | 42.3 | 145.1 | 1 |
| 128 | 2 | 11.0 | 40.8 | 143.8 | 2 |
| 256 | 3 | 15.6 | 65.3 | 165.3 | 2 |
| 384 | 4 | 35.1 | 84.2 | 185.8 | 1 |
| 512 | 5 | 18.1 | 62.2 | 176.2 | 3 |
| 640 | 6 | 19.6 | 82.1 | 180.1 | 1 |

| nat_id | locs |
|--------|-------------|
| 1 | 0, 384, 640 |
| 2 | 128, 256 |
| 3 | 512 |

INDEXES

Actually implemented with data structures like B-trees

- (Take courses like CMSC424 or CMSC420)

But: indexes are not free

- Takes memory to store
- Takes time to build
- Takes time to update (add/delete a row, update the column)

But, but: one index is (mostly) free

- Index will be built automatically on the **primary key**

Think before you build/maintain an index on other attributes!



RELATIONSHIPS

Primary keys and foreign keys define interactions between different tables aka entities. Four types:

- One-to-one
- One-to-one-or-none
- One-to-many and many-to-one
- Many-to-many



Connects (one, many) of the rows in one table to (one, many) of the rows in another table

ONE-TO-MANY & MANY-TO-ONE

One person can have **one** nationality in this example, but one nationality can include **many** people.

Person

Nationality

| ID | age | wgt_kg | hgt_cm | nat_id |
|----|------|--------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 | 1 |
| 2 | 11.0 | 40.8 | 143.8 | 1 |
| 3 | 15.6 | 65.3 | 165.3 | 2 |
| 4 | 35.1 | 84.2 | 185.8 | 1 |
| 5 | 18.1 | 62.2 | 176.2 | 3 |
| 6 | 19.6 | 82.1 | 180.1 | 1 |

| ID | Nationality |
|----|-------------|
| 1 | USA |
| 2 | Canada |
| 3 | Mexico |



ONE-TO-ONE

Two tables have a one-to-one relationship if every tuple in the first table corresponds to **exactly one** entry in the other



In general, you won't be using these (why not just merge the rows into one table?) unless:


- Split a big row between SSD and HDD or distributed
- Restrict access to part of a row (some DBMSs allow column-level access control, but not all)
- Caching, partitioning, & serious stuff: take CMSC424

ONE-TO-ONE-OR-NONE

Say we want to keep track of people's cats:

| Person ID | Cat1 | Cat2 |
|-----------|-----------------|--------------|
| 1 | Chairman Meow | Fuzz Aldrin |
| 4 | Anderson Pooper | Meowly Cyrus |
| 5 | Gigabyte | Megabyte |

People with IDs 2 and 3 do not own cats*, and are not in the table. **Each person has at most one entry in the table.**



Is this data **tidy**?

*nor do they have hearts, apparently.

MANY-TO-MANY


Say we want to keep track of people's cats' colorings:

| ID | Name |
|----|-----------------|
| 1 | Megabyte |
| 2 | Meowly Cyrus |
| 3 | Fuzz Aldrin |
| 4 | Chairman Meow |
| 5 | Anderson Pooper |
| 6 | Gigabyte |

| Cat ID | Color ID | Amount |
|--------|----------|--------|
| 1 | 1 | 50 |
| 1 | 2 | 50 |
| 2 | 2 | 20 |
| 2 | 4 | 40 |
| 2 | 5 | 40 |
| 3 | 1 | 100 |

One column per color, too many columns, too many nulls

Each cat can have many colors, and each color many cats



ASSOCIATIVE TABLES

Cats

| ID | Name |
|----|-----------------|
| 1 | Megabyte |
| 2 | Meowly Cyrus |
| 3 | Fuzz Aldrin |
| 4 | Chairman Meow |
| 5 | Anderson Pooper |
| 6 | Gigabyte |

| Cat ID | Color ID | Amount |
|--------|----------|--------|
| 1 | 1 | 50 |
| 1 | 2 | 50 |
| 2 | 2 | 20 |
| 2 | 4 | 40 |
| 2 | 5 | 40 |
| 3 | 1 | 100 |

Colors

| ID | Name |
|----|------------|
| 1 | Black |
| 2 | Brown |
| 3 | White |
| 4 | Orange |
| 5 | Neon Green |
| 6 | Invisible |

Primary key ??????????????

- [Cat ID, Color ID] (+ [Color ID, Cat ID], case-dependent)

Foreign key(s) ??????????????

- Cat ID and Color ID

ASIDE: PANDAS

So, this kinda feels like pandas ...

- And pandas kinda feels like a relational data system ...

Pandas is **not strictly a relational data system:**

- No notion of primary / foreign keys

It does have indexes (and multi-column indexes):

- pandas.Index: ordered, sliceable set storing axis labels
- pandas.MultiIndex: hierarchical index

Rule of thumb: do heavy, rough lifting at the relational DB level, then fine-grained slicing and dicing and viz with pandas

SQLITE

On-disk relational database management system (RDMS)

- Applications connect directly to a **file**

Most RDMSs have applications connect to a server:


- Advantages include greater concurrency, less restrictive locking
- Disadvantages include, for this class, setup time 😊

Installation:

- `conda install -c anaconda sqlite`
- (Should come preinstalled, I think?)

All interactions use Structured Query Language (SQL)

HOW A RELATIONAL DB FITS INTO YOUR WORKFLOW



CRASH COURSE IN SQL (IN PYTHON)

```
import sqlite3

# Create a database and connect to it
conn = sqlite3.connect("cmisc320.db")
cursor = conn.cursor()

# do cool stuff
conn.close()
```

Cursor: temporary work area in system memory for manipulating SQL statements and return values

If you do not close the connection (`conn.close()`), any outstanding transaction is rolled back

- (More on this in a bit.)

CRASH COURSE IN SQL (IN PYTHON)

```
# Make a table
cursor.execute("""
CREATE TABLE cats (
    id INTEGER PRIMARY KEY,
    name TEXT
)""")
```

??????????

| id | name |
|----|------|
| | cats |

Capitalization doesn't matter for SQL reserved words

- SELECT = select = SeLeCt

Rule of thumb: capitalize keywords for readability

CRASH COURSE IN SQL (IN PYTHON)

Insert into the table

```
cursor.execute("INSERT INTO cats VALUE (1, 'Megabyte')")
cursor.execute("INSERT INTO cats VALUE (2, 'Meowly Cyrus')")
cursor.execute("INSERT INTO cats VALUE (3, 'Fuzz Aldrin')")
conn.commit()
```

| id | name |
|----|--------------|
| 1 | Megabyte |
| 2 | Meowly Cyrus |
| 3 | Fuzz Aldrin |

Delete row(s) from the table

```
cursor.execute("DELETE FROM cats WHERE id == 2");
conn.commit()
```

| id | name |
|----|-------------|
| 1 | Megabyte |
| 3 | Fuzz Aldrin |



CRASH COURSE IN SQL (IN PYTHON)

```
# Read all rows from a table
for row in cursor.execute("SELECT * FROM cats"):
    print(row)
```

```
# Read all rows into pandas DataFrame
pd.read_sql_query("SELECT * FROM cats", conn, index_col="id")
```

| id | name |
|----|-------------|
| 1 | Megabyte |
| 3 | Fuzz Aldrin |

index_col="id": treat column with label "id" as an index

index_col=1: treat column #1 (i.e., "name") as an index

(Can also do multi-indexing.)

JOINING DATA

A **join** operation merges two or more tables into a single relation. Different ways of doing this:

- Inner
- Left
- Right
- Full Outer

Join operations are done **on** columns that explicitly link the tables together

INNER JOINS

| id | name |
|----|-----------------|
| 1 | Megabyte |
| 2 | Meowly Cyrus |
| 3 | Fuzz Aldrin |
| 4 | Chairman Meow |
| 5 | Anderson Pooper |
| 6 | Gigabyte |


cats

| cat_id | last_visit |
|--------|------------|
| 1 | 02-16-2017 |
| 2 | 02-14-2017 |
| 5 | 02-03-2017 |

visits

Inner join returns merged rows that share the **same** value in the column they are being joined on (`id` and `cat_id`).

| id | name | last_visit |
|----|-----------------|------------|
| 1 | Megabyte | 02-16-2017 |
| 2 | Meowly Cyrus | 02-14-2017 |
| 5 | Anderson Pooper | 02-03-2017 |



INNER JOINS

```
# Inner join in pandas
df_cats = pd.read_sql_query("SELECT * from cats", conn)
df_visits = pd.read_sql_query("SELECT * from visits", conn)
df_cats.merge(df_visits, how = "inner",
              left_on = "id", right_on = "cat_id")
```

```
# Inner join in SQL / SQLite via Python
cursor.execute("""
    SELECT
        *
    FROM
        cats, visits
    WHERE
        cats.id == visits.cat_id
""")
```

LEFT JOINS

Inner joins are the most common type of joins (get results that appear in **both** tables)

Left joins: all the results from the left table, only **some** matching results from the right table

Left join (cats, visits) on (id, cat_id) ??????????????

| id | name | last_visit |
|----|-----------------|------------|
| 1 | Megabyte | 02-16-2017 |
| 2 | Meowly Cyrus | 02-14-2017 |
| 3 | Fuzz Aldrin | NULL |
| 4 | Chairman Meow | NULL |
| 5 | Anderson Pooper | 02-03-2017 |
| 6 | Gigabyte | NULL |

RIGHT JOINS

Take a guess!

Right join
(cats, visits)
on
(id, cat_id)
??????????????

| id | name |
|----|-----------------|
| 1 | Megabyte |
| 2 | Meowly Cyrus |
| 3 | Fuzz Aldrin |
| 4 | Chairman Meow |
| 5 | Anderson Pooper |
| 6 | Gigabyte |

cats

| cat_id | last_visit |
|--------|------------|
| 1 | 02-16-2017 |
| 2 | 02-14-2017 |
| 5 | 02-03-2017 |
| 7 | 02-19-2017 |
| 12 | 02-21-2017 |

visits

| id | name | last_visit |
|----|-----------------|------------|
| 1 | Megabyte | 02-16-2017 |
| 2 | Meowly Cyrus | 02-14-2017 |
| 5 | Anderson Pooper | 02-03-2017 |
| 7 | NULL | 02-19-2017 |
| 12 | NULL | 02-21-2017 |

LEFT/RIGHT JOINS

```
# Left join in pandas
df_cats.merge(df_visits, how = "left",
              left_on = "id", right_on = "cat_id")
```

```
# Left join in SQL / SQLite via Python
cursor.execute("SELECT * FROM cats LEFT JOIN visits ON
               cats.id == visits.cat_id")
```

```
# Right join in pandas
df_cats.merge(df_visits, how = "right",
              left_on = "id", right_on = "cat_id")
```

```
# Right join in SQL / SQLite via Python
```



FULL OUTER JOIN

Combines the left and the right join


??????????????

| id | name | last_visit |
|----|-----------------|------------|
| 1 | Megabyte | 02-16-2017 |
| 2 | Meowly Cyrus | 02-14-2017 |
| 3 | Fuzz Aldrin | NULL |
| 4 | Chairman Meow | NULL |
| 5 | Anderson Pooper | 02-03-2017 |
| 6 | Gigabyte | NULL |
| 7 | NULL | 02-19-2017 |
| 12 | NULL | 02-21-2017 |


```
# Outer join in pandas
df_cats.merge(df_visits, how = "outer",
              left_on = "id", right_on = "cat_id")
```

GOOGLE IMAGE SEARCH ONE SLIDE SQL JOIN VISUAL


INNER JOIN




FULL JOIN



LEFT JOIN



RIGHT JOIN



GROUP BY AGGREGATES

```
SELECT nat_id, AVG(age) as average_age  
FROM persons GROUP BY nat_id
```

| ID | age | wgt_kg | hgt_cm | nat_id |
|----|------|--------|--------|--------|
| 1 | 12.2 | 42.3 | 145.1 | 1 |
| 2 | 11.0 | 40.8 | 143.8 | 1 |
| 3 | 15.6 | 65.3 | 165.3 | 2 |
| 4 | 35.1 | 84.2 | 185.8 | 1 |
| 5 | 18.1 | 62.2 | 176.2 | 3 |
| 6 | 19.6 | 82.1 | 180.1 | 1 |

| nat_id | average_age |
|--------|-------------|
| 1 | 19.48 |
| 2 | 15.6 |
| 3 | 18.1 |

RAW SQL IN PANDAS



If you “think in SQL” already, you’ll be fine with pandas:

- `conda install -c anaconda pandasql`
- Info: http://pandas.pydata.org/pandas-docs/stable/comparison_with_sql.html

```
# Write the query text
q = """
    SELECT
        *
    FROM
        cats
    LIMIT 10;"""

# Store in a DataFrame
df = sqldf(q, locals())
```

NEXT CLASS:
EXPLORATORY ANALYSIS

